- α-glucosidase. An investigation of the properties and possible clinical significance of the lysosomal ... GAA*2 allele, 177
- α-glucosidases. An investigation of the possible influence of neutral...on the clinical heterogeneity of glycogenosis type II, 185
- acrocentric chromosomes. The nonrandom participation of human...in Robertsonian translocations, 49
- Affara, N.
- see Ballabio, A. et al.
- African. Mitochondrial DNA polymorphisms in Italy, III. Population data from Sicily: a possible quantitation of maternal...ancestry, 193
- (AHCY). Isozyme and DNA analysis of human Sadenosyl-L-homocysteine hydrolase, 157
- alcohol flushers. Cytosolic aldehyde dehydrogenase (ALDH1) variants found in. 1
- aldehyde dehydrogenase. Cytosolic...(ALDH1) variants found in alcohol flushers. 1
- Andrews, V.
 - see Morton, N. E.
- Andria, G.
- see Ballabio, A. et al.
- Apulia (Southern Italy). Restriction fragment length polymorphism of human mitochondrial DNA in a sample population from, 311
- Arredondo-Vega, F. X., Charlton, J. A., Edwards, Y. H., Hopkinson, D. A. & Whitehouse, D. B.
 - Isozyme and DNA analysis of human S-adenosyl-Lhomocysteine hydrolase (AHCY), 157
- Ashworth. A.
 - see Shephard, E. A. et al., 291
- (βFNR). Assignment of the gene encoding the betasubunit of the human fibronectin receptor...to chromosome 10p11.2. 15
- Baker, L.
 - see Gogolin, K. J. et al.
- Ballabio, A., Carrozzo, R., Gil, A., Gillard, B., Affara, N., Ferguson-Smith, M. A., Fraser, N., Craig, I., Rocchi, M., Romeo, G. & Andria, G.
- molecular characterization of human X/Y translocations suggests their actiology through aberrant exchange between homologous sequences on Xp and Yq. 9
- Barale, R.
 - see Barrai, I. et al.
- Barrai, I., Formica, G., Barale, R. & Beretta, M. isonymy and migration distance, 249
- Beretta, M.
- see Barrai, I. et al.
- Berg, E. S., Teisberg, P. & Olaisen, B.
 - genetic analysis of C4 polymorphism by use of DNA amplification (PCR), allele-specific oligonucleotide probes and allele-specific restriction enzymes.

- Bigozzi, U.
 - see Papi, L. et al.
- binomial confidence intervals. Analysing rearrangement breakpoint distributions by means of, 375
- Board, P. G., Webb, G. C. & Coggan, M. isolation of a cDNA clone and localization of the human glutathione S-transferase 3 genes to chromosome bands 11q13 and 12q13-14, 205
- Bouchard, C.
 - see Gélinas, Y. et al.
- breakpoint distributions. Analysing rearrangement ... by means of binomial confidence intervals, 375
- Brega, A. see Semino, O. et al.
- Buckle, V. J.
- see Searle, A. G. et al.
- C4 polymorphism. Genetic analysis of...by use of DNA amplification (PCR), allele-specific oligonucleotide probes and allele-specific restriction enzymes, 221
- Cappellini, M. D.
 - see Fiorelli. G. et al.
- carcinoembryonic antigen. Assignment of the coding sequence for... (CEA) and normal cross-reacting antigen (NCA) to human chromosome 19q13, 141 Carrozzo, R.
- see Ballabio, A. et al.
- cDNA clone. Isolation of a...and localization of the human glutathione S-transferase 3 genes to chromosome bands 11q13 and 12q13-14, 205
- cDNA. Sequence of full length...for human Sadenosylhomocysteine hydrolase, 169
- Charlton, J. A.
- see Arredondo-Vega, F. X. et al.
- chromosome 7q11.2. Isolation of a human cytochrome P-450 reductase cDNA clone and localization of the corresponding gene to, 291
- chromosome 10p11.2. Assignment of the gene encoding the beta-subunit of the human fibronectin receptor (βFNR) to, 15
- chromosome 11, human. Regional localization of the sperm-specific lactate dehydrogenase, LDHC, gene on, 215
- chromosome 19q13, human. Assignment of the coding sequence for carcinoembryonic antigen (CEA) and normal cross-reacting antigen (NCA) to, 141
- chromosome banding. How much difference does...make? Adjustments in prevalence and mutation rates of human structural cytogenetic abnormalities, 237
- chromosome bands 9q33-34. Localization of the Surfeit gene cluster containing the ribosomal protein gene L7a to, 149
- chromosome bands 11q13 and 12q13–14. Isolation of a cDNA clone and localization of the human glutathione S-transferase 3 genes to, 205

chromosome maps of man and mouse, IV. 89

see Board, P. G. et al.

Coulter-Karis, D. E. & Hershfield, M. S.

sequence of full length cDNA for human Sadenosylhomocysteine hydrolase, 169

Cowell, J.

see Edwards, Y. et al.

Craig. I.

see Ballabio, A. et al.

Craig, I. W.

see Willcocks. T. C. et al.

Craig, S. P.

see Willcocks, T. C. et al.

cytochrome P450IIC. Cloning, expression and chromosomal localization of a member of the human...gene sub-family, 23

cytochrome P-450 reductase. Isolation of a human... cDNA clone and localization of the corresponding gene to chromosome 7q11.2, 291

cytosolic aldehyde dehydrogenase (ALDH1) variants found in alcohol flushers, 1

Davé. V.

see Yoshida, A. et al.

De Benedictis, G., Rose, G., Passarino, G. & Quagliariello, C.

restriction fragment length polymorphism of human mitochondrial DNA in a sample population from Apulia (Southern Italy), 311

De Benedictis, G.

see Semino, O. et al.

Denniston, C.

see Therman, E. et al.

Dionne, F. T.

see Gélinas, Y. et al.

DNA amplification. Genetic analysis of C4 polymorphism by use of...(PCR), allele-specific oligonucleotide probes and allele-specific restriction enzymes, 221

DNA. Isozyme and ... analysis of human S-adenosyl-L-homocysteine hydrolase (AHCY), 157

Edwards, J. H.

familiarity, recessivity and germline mosaicism. 33

Edwards, J. H.

the locus positioning problem, 271

Edwards, J. H.

review of Molecular Evolutionary Genetics. by M. Nei, 287

Edwards, J. H.

see Searle, A. G. et al.

Edwards, Y., West, L., Van Heyningen, V., Cowell, J. & Goldberg, E.

regional localization of the sperm-specific lactate dehydrogenase, LDHC, on human chromosome 11, 215

Edwards, Y. H.

see Arredondo-Vega, F. X. et al.

Evans, E. P.

see Searle, A. G. et al.

Ferguson-Smith, M. A.

see Ballabio, A. et al.

fibronectin receptor. Assignment of the gene encoding the beta-subunit of the human... (βFNR) to chromosome 10p11.2, 15

Fiorelli, G., Manoussakis, C., Sampietro, M., Pittalis, S., Guglielmino, C. R. & Cappellini, M. D.

different polymorphic variants of glucose-6-phosphate dehydrogenase (G6PD) in Italy, 229

Formica, G. see Barrai, I. et al.

Fraser, N.

see Ballabio, A. et al.

French Canadian. Mitochondrial DNA polymorphism detected with the restriction enzymes BstNI and BclI in a... population, 319

Fried, M.

see Yon, J. et al.

Friedman, J. M.

see Vasarhelyi, K.

(G6PD). Different polymorphic variants of glucose-6phosphate dehydrogenase...in Italy, 229

GAA*2. An investigation of the properties and possible clinical significance of the lysosomal α -glucosidase... allele, 177

Gélinas, Y., Turcotte, L., Bouchard, C., Thibault, M.-C. & Dionne, F. T.

mitochondrial DNA polymorphism detected with the restriction enzymes BstNI and BclI in a French Canadian population. 319

germline mosaicism. Familiarity, recessivity and, 33 Gil. A.

see Ballabio, A. et al.

Gillard, B.

see Ballabio. A. et al.

glucose-6-phosphate dehydrogenase. Different polymorphic variants of...(G6PD) in Italy. 229

glutathione S-transferase 3. Isolation of a cDNA clone and localization of the human...genes to chromosome bands 11q13 and 12q13-14, 205

glycogenosis type II. An investigation of the possible influence of neutral α -glucosidases on the clinical heterogeneity of, 185

Gogolin, K. J., Kolaga, V. J., Baker, L., Lisak, R. P., Zmijewski, C. M. & Spielman, R. S.

subtypes of HLA-DQ and -DR defined by DQB1 and DRB1 RFLPs: allele frequencies in the general population and in insulin-dependent diabetes (IDDM) and multiple sclerosis patients.

Goldberg, E.

see Edwards, Y. et al.

Goodfellow, P. J., Nevanlinna, H. A., Gorman, P., Sheer, D., Lam, G. & Goodfellow, P. N.

assignment of the gene encoding the beta-subunit of the human fibronectin receptor (βFNR) to chromosome 10p11.2. 15

Goodfellow, P. N.

see Goodfellow. P. J. et al.

Gordon-Smith, E. C.

see Mehta, A. B. et al. Gorman, P.

see Goodfellow, P. J. et al.

Griffiths, B.

see Swallow, D. M. et al.

Guazzelli, R.

see Papi, L. et al.

Guglielmino, C. R.

see Fiorelli, G. et al.

Hall, J. G.

see Searle, A. G. et al

Healy, N. P.

see Hook, E. B. et al.

Hershfield, M. S.

see Coulter-Karis, D. E.

HLA-DQ and -DR. Subtypes of ... defined by DQB1 and DRB1 RFLPs: allele frequencies in the general population and in insulin-dependent diabetes (IDDM) and multiple sclerosis patients,

Hook, E. B., Healy, N. P. & Willey, A. M.

how much difference does chromosome banding make? Adjustments in prevalence and mutation rates of human structural cytogenetic abnormalities, 237

Hopkinson, D. A.

see Arredondo-Vega, F. X. et al.

inbreeding in the Utah Mormons: an evaluation of estimates based on pedigrees, isonymy, and

migration matrices, 339

insulin-dependent diabetes. Subtypes of HLA-DQ and -DR defined by DQB1 and DRB1 RFLPs: allele frequencies in the general population and in ... (IDDM) and multiple sclerosis patients, 327

Islam, I.

see Swallow, D. M. et al.

isonymy and migration distance, 249

isonymy. Inbreeding in the Utah Mormons: an Marenah, C. B. evaluation of estimates based on pedigrees, ..., and migration matrices, 339

Italy. Different polymorphic variants of glucose-6phosphate dehydrogenase (G6PD) in, 229

Italy. Mitochondrial DNA polymorphisms in ... III. Population data from Sicily: a possible quantitation of maternal African ancestry, 193

(Italy, Southern). Restriction fragment length polymorphism of human mitochondrial DNA in a sample population from Apulia, 311

Jorde, L. B.

inbreeding in the Utah Mormons: an evaluation of estimates based on pedigrees, isonymy, and migration matrices, 339

Kolaga, V. J.

see Gogolin, K. J. et al.

Kroos, M.

see Swallow, D. M. et al.

Kroos, M. A.

see Van der Ploeg, A. T. et al.

lactate dehydrogenase. Regional localization of the sperm-specific ..., LDHC, gene on human chromosome 11, 215

Lam. G.

see Goodfellow, P. J. et al.

Lange, K. & Weeks, D. E.

efficient computation of lod scores: genotype elimination, genotype redefinition, and hybrid maximum likelihood algorithms, 67

LDHC. Regional localization of the sperm-specific lactate dehydrogenase,..., gene on human chromosome 11, 215

linkage analysis. Some simple methods for, 277

linkage. MAP, an expert system for multiple pairwise ... analysis, 263

Lisak, R. P.

see Gogolin, K. J. et al.

locus positioning problem, the, 271

lod scores. Efficient computation of ...: genotype elimination, genotype redefinition, and hybrid maximum likelihood algorithms, 67

Luzzatto, L.

see Mehta, A. B. et al.

Lyon, M. F.

see Searle, A. G. et al.

lysosomal a-glucosidase. An investigation of the properties and possible clinical significance of the ... GAA*2 allele, 177

Manoussakis, C.

see Fiorelli, G. et al.

MAP, an expert system for multiple pairwise linkage analysis, 263

Maraschio, P.

see Papi, L. et al.

Marconi, G.

see Papi, L. et al.

see Swallow, D. M. et al.
Mehta, A. B., Vulliamy, T., Gordon-Smith, E. C. & Luzzatto, L.

a new genetic polymorphism in the 16S ribosomal RNA gene of human mitochondrial DNA, 303

migration distance. Isonymy and, 249

migration matrices. Inbreeding in the Utah Mormons: an evaluation of estimates based on pedigrees, isonymy, and, 339

mitochondrial DNA, human. A new genetic polymorphism in the 16S ribosomal RNA gene of,

mitochondrial DNA polymorphism detected with the restriction enzymes BstNI and BclI in a French Canadian population, 319

Mitochondrial DNA polymorphisms in Italy. III. Population data from Sicily: a possible quantitation of maternal African ancestry, 193

mitochondrial DNA. Restriction fragment length

mitochondrial (cont.)

polymorphism of human...in a sample population from Apulia (Southern Italy). 311

mitotic mutant. Evidence for a human ... with pleiotropic effect. 243

Montali, E.

see Papi, L. et al.

Morgan. K.

see Thompson, E. A.

Morton, N. E. & Andrews, V.

MAP, an expert system for multiple pairwise linkage analysis, 263

mosaicism, germline. Familiarity, recessivity and, 33 mouse. Chromosome maps of man and..., IV. 89

multiple pairwise linkage analysis. MAP, an expert Povey, S. system for, 263

multiple sclerosis. Subtypes of HLA-DQ and -DR defined by DQB1 and DRB1 RFLPs: allele frequencies in the general population and in insulin-dependent diabetes (IDDM) and... patients, 327

mutation rates. How much difference does chromosome banding make? Adjustments in prevalence and ... of human structural cytogenetic abnormalities, 237

Nei, M.

Molecular Evolutionary Genetics, reviewed by J. H. Edwards, 287

neutral α-glucosidases. An investigation of the possible influence of ... on the clinical heterogeneity of glycogenosis type II, 185

Nevanlinna, H. A.

see Goodfellow, P. J. et al.

non-randomness. Testing for...of events in sparse data situations, 381

normal cross-reacting antigen. Assignment of the coding sequence for carcinoembryonic antigen (CEA) and...(NCA) to human chromosome 19q13, 141

Olaisen, B. see Berg, E. S. et al.

P450IIC. Cloning, expression and chromosomal localization of a member of the human cytochrome ... gene sub-family, 23

P-450. Isolation of a human cytochrome...reductase cDNA clone and localization of the corresponding gene to chromosome 7q11.2, 291

Palmer, C. N. A.

see Shephard, E. A. et al., 23

Palmer, C. N. A.

see Shephard, E. A. et al., 291

Palmer, R. W. see Yon, J. et al.

Papi, L., Montali, E., Marconi, G., Guazzelli, R., Bigozzi, U., Maraschio, P. & Zuffardi, O.

evidence for a human mitotic mutant with pleiotropic effect, 243

Passarino. G.

see De Benedictis. G. et al.

Peters. J.

see Searle. A. G. et al.

Peters. T. J.

see Yoshida. A. et al.

Phillips. T. R.

see Shephard, E. A. et al., 23

Phillips, I. R.

see Shephard. E. A. et al., 291 Pittalis, S

see Fiorelli, G. et al.

pleiotropic effect. Evidence for a human mitotic mutant with, 243

see Shephard. E. A. et al., 23

Povey, S.

see Shephard, E. A. et al., 291

Quagliariello, C.

see De Benedictis, G. et al.

recessive. Recursive descent probabilities for rare ... lethals, 357

recessivity. Familiarity.... and germline mosaicism.

recursive descent probabilities for rare recessive

lethals, 357 restriction enzymes. Mitochondrial DNA polymorphism detected with the ... BstNI and BclI in a French Canadian population. 319

restriction fragment length polymorphism of human mitochondrial DNA in a sample population from Apulia (Southern Italy). 311

Reuser, A. J. J.

see Swallow, D. M. et al.

Reuser, A. J. J.

see Van der Ploeg, A. T. et al.

ribosomal. A new genetic polymorphism in the 16S...RNA gene of human mitochondrial DNA.

ribosomal protein gene L7a. Localization of the Surfeit gene cluster containing the ... to chromosome bands 9q33-34, 149

Robertsonian translocations. The nonrandom participation of human acrocentric chromosomes in, 49

Rocchi, M.

see Ballabio, A. et al.

Romeo, G.

see Ballabio, A. et al.

Rose, G.

see De Benedictis, G. et al.

S-adenosylhomocysteine hydrolase, human. Sequence of full length cDNA for, 169

S-adenosyl-L-homocysteine hydrolase. Isozyme and DNA analysis of human ... (AHCY), 157

Sampietro, M.

see Fiorelli, G. et al.

Santachiara Benerecetti, A. S. see Semino, O. et al.

Santisteban, I.

see Shephard, E. A. et al., 23

Santisteban, I.

see Shephard, E. A. et al., 291

Scozzari, R.

see Semino. O. et al.

Searle, A. G., Peters, J., Lyon, M. F., Hall, J. G., Evans, E. P., Edwards, J. H. & Buckle, V. J. Chromosome maps of man and mouse, IV, 89

Semino, O., Torroni, A., Scozzari, R., Brega, A., De Benedictis, G. & Santachiara Benerecetti. A. S.

Population data from Sicily: a possible quantitation of maternal African ancestry, 193

Sheer, D.

see Goodfellow, P. J. et al.

Sheer, D.

see Yon, J. et al.

Shephard, E. A., Phillips, I. R., Santisteban, I., Van Heyningen, V. Palmer, C. N. A. & Povey, S.

cloning, expression and chromosomal localization Vasarhelyi, K. & Friedman, J. M. of a member of the human cytochrome P450IIC gene sub-family, 23

Shephard, E. A., Phillips, I. R., Santisteban, I., West, L. F., Palmer, C. N. A., Ashworth, A. & Povey, S. Vulliamy, T. isolation of a human cytochrome P-450 reductase cDNA clone and localization of the corresponding gene to chromosome 7q11.2, 291

Sicily. Mitochondrial DNA polymorphisms in Italy. III. Population data from ...: a possible quantitation of maternal African ancestry, 193

Smith, C. A. B.

some simple methods for linkage analysis, 277 Spielman, R. S.

see Gogolin, K. J. et al.

Surfeit gene cluster. Localization of the ... containing the ribosomal protein gene L7a to chromosome bands 9q33-34, 149

Susman, B.

see Therman, E. et al.

Swallow, D. M., Kroos, M., Van der Ploeg, A. T., Griffiths, B., Islam, E., Marenah, C. B. & Reuser, A. J. J.

an investigation of the properties and possible clinical significance of the lysosomal α -glucosidase GAA*2 allele, 177

Swallow, D. M.

see Van der Ploeg, A. T. et al.

testing for non-randomness of events in sparse data situations, 381

Teisberg, P.

see Berg, E. S. et al.

Therman, E., Susman, B. & Denniston, C.

the nonrandom participation of human acrocentric

Thibault, M.-C.

see Gélinas. Y. et al.

Thompson, E. A. & Morgan, K.

recursive descent probabilities for rare recessive lethals, 357

Torroni. A.

see Semino, O. et al.

Turcotte, L.

see Gélinas. Y. et al.

Utah Mormons. Inbreeding in the ...: an evaluation of estimates based on pedigrees, isonymy, and migration matrices, 339

Mitochondrial DNA polymorphisms in Italy, III. Van der Ploeg, A. T., Kroos, M. A., Swallow, D. M. & Reuser, A. J. J.

an investigation of the possible influence of neutral α-glucosidases on the clinical heterogeneity of glycogenosis type II, 185

Van der Ploeg, A. T

see Swallow, D. M. et al.

see Edwards, Y. et al.

analysing rearrangement breakpoint distributions by means of binomial confidence intervals, 375

see Mehta, A. B. et al.

Ward, R. J.

see Yoshida, A. et al.

Webb, G. C.

see Board, P. G. et al.

Weeks, D. E.

see Lange, K.

West, L.

see Edwards, Y. et al.

West, L. F.

see Shephard, E. A. et al., 291

Whitehouse, D. B. see Arredondo-Vega, F. X. et al.

Willcocks, T. C., Craig, S. P. & Craig, I. W.

assignment of the coding sequence for carcinoembryonic antigen (CEA) and normal crossreacting antigen (NCA) to human chromosome 19q13, 141

Willey, A. M.

see Hook, E. B. et al.

X/Y translocations. Molecular characterization of human...suggests their aetiology through aberrant exchange between homologous sequences on Xp and Yq, 9

Yon, J., Palmer, R. W., Sheer, D. & Fried, M.

localization of the Surfeit gene cluster containing the ribosomal protein gene L7a to chromosome bands 9q33-34, 149

chromosomes in Robertsonian translocations, 49 Yoshida, A., Davé, V., Ward, R. J. & Peters, T. J.

- Yoshida (cont.)
- Yoshida (cont.)
 cytosolic aldehyde dehydrogenase (ALDH1) variants found in alcohol flushers, 1
 Yq. Molecular characterization of human X/Y translocations suggests their aetiology through aberrant exchange between homologous sequences on Xp and, 9
- Zmijewski, C. M. see Gogolin, K. J. et al. Zuffardi. O.
- see Papi, L. et al.

